IntegriScan[™] Electronic Leak Detection

1111



QUALITY ASSURANCE



Need a Quote?

Call us today! 855-753-3832 or visit

www.detecsystems.com

Ensures Peace of Mind Knowing the Membrane is Watertight

Detec's **IntegriScan** is the most accurate electronic testing method available. This advanced, low voltage test ensures 100% of the membrane is free of breaches, holes, and seam voids.

The **IntegriScan's** unique technology facilitates a reliable test compared to vector mapping and archaic flood testing. The **IntegriScan** equipment eliminates the need for a perimeter wire by limiting the testing area to directly below the **Scanning Platform**. Detec's **Vertical Scanning Unit (VSU)** tests vertical surfaces, rebar flashings, and hard to reach areas.

The **IntegriScan** is the **ONLY** method available for testing black EPDM and other semi-conductive membranes. Additionally, **TruGround Conductive Primer** enables electronic testing on conventional assemblies with nonconductive substrates such as wood, insulation, and coverboard.

Benefits of IntegriScan Quality Control Testing

- Verifies the integrity of roofing or waterproofing assemblies.
- **Pinpoints breaches, holes, and seam voids** after membrane installation so repairs can be made immediately--ensuring minimal impact to the construction schedule.
- Quick, efficient, and reliable. The IntegriScan scanning platform can test up to 40,000 ft² in a day.

• **Tests all exposed membrane.** Tests horizontal surfaces, vertical surfaces, details, and transitions.





US Pat No. 9244030 CAN Pat No. 2818121

TruGround[®] Conductive Primer

TruGround enables reliable membrane integrity testing for conventional roof assemblies. **TruGround** is applied to the non-conductive substrate directly under the membrane.

> > Enables electronic testing of exposed conventional assemblies for the life of the building

Compatible with low and high voltage ELD testing methods

- > Complies with ASTM D8231 & D7877
- > Facilitates testing of black EPDM

> Suitable for fully adhered, mechanically attached, fluid applied, and torch-down membranes

- > Easily applied to transitions and details
- > Typically dries in under 30 minutes
- > No risk of membrane punctures or corrosion and is approved by membrane manufacturers
- > Can be applied to any substrate






Why The IntegriScan Is The Best


Other testing methods are often inconclusive for many roofing and waterproofing systems. The advanced technology behind the IntegriScan goes further. Detec's IntegriScan exclusively meets both ASTM Standard Guide D7877 and Standard Practice D8231.

COMPARE				
	Flood Testing	Vector Mapping	High Voltage Testing	IntegriScan Scanning Platform & Roller
Tests Inverted Assemblies		\checkmark		\checkmark
Tests Conventional Assemblies		*	*	*
Pinpoints Breaches	2	\checkmark	\checkmark	\checkmark
Tests Transitions & Details	X	×	\checkmark	\checkmark
Time Efficient	3			\checkmark
Reliably Tests Verticals	× 4	2	\checkmark	\checkmark
Tests in Wet Conditions		\checkmark	X	\checkmark
Tests Black EPDM	X	3		*
Detects Seam Voids	X	\checkmark	X	\checkmark



There are Many Membrane Types. There's One Choice for Quality Assurance.

Projects of all scale and scope throughout the world have specified Detec to ensure peace of mind and long service life for their membrane assemblies.



Detec*

CONTACT US: 855-753-3832 info@detecsystems.com Get the Spec->go to detecsystems.com